



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

map* <near> command? <near> behavior? and (3d or visual

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

map near command? near behavior? and 3d or visual or graphical and shadow?

Found **20,534** of **138,663**

Sort results by

relevance

Save results to a Binder

Try an [Advanced Search](#)

Display results

expanded form

Search Tips

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

1 [Status report of the graphic standards planning committee](#)

Computer Graphics staff

August 1979 **ACM SIGGRAPH Computer Graphics**, Volume 13 Issue 3

Full text available: pdf(15.01 MB) Additional Information: [full citation](#), [references](#)

2 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: pdf(4.21 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

3 [A software model and specification language for non-WIMP user interfaces](#)

Robert J. K. Jacob, Leonidas Deligiannidis, Stephen Morrison

March 1999 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 6 Issue 1

Full text available: pdf(574.62 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a software model and language for describing and programming the fine-grained aspects of interaction in a non-WIMP user interface, such as a virtual environment. Our approach is based on our view that the essence of a non-WIMP dialogue is a set of continuous relationships—most of which are temporary. The model combines a data-flow or constraint-like component for the continuous relationships with an event-based component for discrete interactions, which can enable or diabl ...

Keywords: PMIW, interaction techniques, non-WIMP interface, specification language, state transition diagram, user interface management system (UIMS)

BEST AVAILABLE COPY


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

3d mapping command behavior

Search

[Advanced Search](#)
[Preferences](#)
WebResults **31 - 40** of about **51,000** for **3d mapping command behavior**. (0.31 seconds)**Digimation Particle Studio Review**

... edited in the **Event Map** or the **Modify command** panel ... through both the use of the **Event Map** and the ... Particle Studio now creates true **3d** object fragments with user ...

tiemdesign.com/reviews2000/Jul/ParticleStudio/default.htm - [Similar pages](#)

3Dconnexion Add-in for Solid Edge ...

... 17th, 2002) - New feature: the button **mapping** panel is ... New feature: in Assembly files, the **3D**-controller is ... pushed down when the corresponding **command** is active ...

www.3dconnexion.com/readme/SolidEdge.txt - 15k - [Cached](#) - [Similar pages](#)

[[More results from www.3dconnexion.com](#)]

Training and Education Command

... of the leadership and organizational **behavior** skills required ... Supports large **mapping** areas (144 square ... New proprietary "Real Virtuality" **3D** Engine technology ...

www.tecom.usmc.mil/techdiv/ITK/VBS1/VBS1Draft.htm - 29k - [Cached](#) - [Similar pages](#)

Java 3D Programming

... 262 14.6 Animated (video) texture **mapping** 265 14.7 ... System properties read by Java **3D** 335 18.4 ... 18.6 Renderer 336 GraphicsContext**3D** **commands** 337 ♦ RenderAtoms ...

www.manning.com/catalog/view.php?book=selman&item=contents - 16k - [Cached](#) - [Similar pages](#)

[PDF] **Reference Guide**

File Format: PDF/Adobe Acrobat

... Add a 2D texture layer Add a **mapping** layer ... which allows you to put **3D** interactive dynamics ... window World properties Current object **behavior Command** bar Current ...

www.eovia.com/amapi/tutorials/amapi3D_v6_ref_guide_US.pdf - [Similar pages](#)

[doc] **In the main folder**

File Format: Microsoft Word 2000 - [View as HTML](#)

... To load in a texture **map**, in the **command** window type: ... t □ t by itself will unload a **map**. ... The face can be rotated in **3D** via the Left mouse button. ...

dipaola.org/rface/rFaceNotes.doc - [Similar pages](#)

Vue 4 Professional - The Natural 3D Scenery Studio!

... Procedural material and texture **map** smoothing technology ... Synchronization With Major **3D** Applications: Automatic ... available for direct input of Python **commands**. ...

www.glasspalace.fi/vue/indexpro.html - 19k - Jun 22, 2004 - [Cached](#) - [Similar pages](#)

The Conway of Life Help

... If you notice that the colony is getting too large, create a bigger **map** and use the Cut and Paste **commands** to transfer your ... Linear **maps**, Plane **maps**, **3D** **maps**. ...

users.skynet.be/NightGem/programs/cwlife/ - 22k - [Cached](#) - [Similar pages](#)

3D Programming with AllegroGL

... should be called whenever pending drawing **commands** should be ... y, type z, type w) Feeds a **3D** coordinate to ... what type is used, vertex location **mapping** remains the ...

www.pixelate.co.za/issues/6/articles/agl-a/agl02.html - 16k - [Cached](#) - [Similar pages](#)

BEST AVAILABLE COPY

OS Updates: Latest patches and updates for your Windows System ...
... Windows 98 Second Edition Mapped Drives Shutdown Update - Updated 27/2/2002 ... Me, removed
superseded Update for Windows Media Player URL Script Command Behavior. ...
www.techspot.com/tweaks/updates/ - 89k - Cached - Similar pages




Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

BEST AVAILABLE COPY

**Web**Results 1 - 10 of about 59 for java3d api shadow command behavior. (0.28 seconds)[PDF] Getting Started with the Java 3D API

File Format: PDF/Adobe Acrobat

... Module 1: Getting Started with the Java 3D API The introductory module ... May 1999

Module 2: Interaction and Animation Chapter 4 covers **behavior** basics, along ...java.sun.com/developer/onlineTraining/java3d/j3d_tutorial_ch0.pdf - [Similar pages](#)Java[tm] Advanced Imaging API... the memory allocation pool of the Java interpreter using the -Xmx **command** line option ... The Java Advanced Imaging API does not have a "drop **shadow**" or similar ...java.sun.com/products/java-media/jai/forDevelopers/jaifaq.html - 101k - [Cached](#) - [Similar pages](#)The Model in the Plane... **commands** The client has to write input **commands** in the ... in light and what is in **shadow** is left ... In newer, object-oriented API's, **Java3d** [SRD97] and Open Inventor ...www.cs.ualberta.ca/~ghali/thesis/node7.html - 44k - [Cached](#) - [Similar pages](#)3DEL: API: All... 12.01.1999 **Java3D**, 12.01.1999. ... Fast shadows with **shadow** mapping. ... Support for OpenGL for Windows (Microsoft, Silicon Graphics and Mesa) API within the MGL ...cg.cs.tu-berlin.de/~ki/3del_1419_api_all.html - 101k - [Cached](#) - [Similar pages](#)3DEL: API: OpenGL... lightmapped, perspective texture mapping; Realtime **shadow** casting (with **shadow** volume); ... 12.01.1999 **Java3D**, 12.01.1999. The Java 3DTM 1.1 API is a set of classes ...cg.cs.tu-berlin.de/~ki/3del_1419_api_ogl.html - 101k - [Cached](#) - [Similar pages](#)[\[More results from cg.cs.tu-berlin.de \]](#)pvkBookmarks... with more than 1000 still pictures and animations Electronic **Shadow** Hybrid design ... 3D Library, project, API written in Java (not **Java3D**) And therefore ...www.vrarchitect.net/links/pvkBookmarks.en.html - 101k - [Cached](#) - [Similar pages](#)pvkBookmarks... la Science, avec plus de 1000 Images Fixes et Animations Electronic **Shadow** Hybrid design ... 3D Library, project, API written in Java (not **Java3D**) And therefore ...www.vrarchitect.net/links/pvkBookmarks.fr.html - 101k - [Cached](#) - [Similar pages](#)java.net: Does Java have a bad reputation? [June 24, 2004]... Flexibility isn't bad, its just that most developers, including myself, just need a clean, simple, API for most work ... Only the **shadow** knows ... Continuing with **Java3D**. ...weblogs.java.net/pub/wlg/1230 - 50k - Jun 24, 2004 - [Cached](#) - [Similar pages](#)Digital Space Commons:... computation of sightlines and prediction of **shadow** casting by ... 3. **Java3D** had no facility for physics or ... by OWorld and translated into actual API class resulting ...www.digitalspace.com/reports/stfr-techreport-final2.htm - 101k - Jun 24, 2004 - [Cached](#) - [Similar pages](#)jGuru: Java on Linux FAQ

BEST AVAILABLE COPY

... passwords from the Linux passwd or **shadow** password files? ... You can also develop using the **command**-line tools that ... **java3d** - an implementation of the **Java3D API**. ...
www.magelang.com/faq/printablefaq.jsp?topic=Linux - 101k - [Cached](#) - [Similar pages](#)

Goooooogle ►

Result Page: 1 2 3 4 5 [Next](#)

java3d api shadow command beh

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

BEST AVAILABLE COPY